

# Rice has many fathers but only two mothers

**R**ESearchers investigating the heritage of thousands of rice varieties have identified just two distinct maternal lineages – a discovery which could help address the issue of global food security.

University of Queensland scientists studied more than 3000 rice genotypes and found diversity was inherited through two maternal genomes identified in all rice varieties.

Lead researcher, UQ's Professor Robert Henry, said the finding was important in understanding how rice adapted to its environment.

"We think there were two separate domestications of virgin wild plants that diverged around a million years ago in the wild, and then in the last 7000 years human domestication of rice has occurred," Robert said.

The two domesticated varieties interbred with the local wild rices throughout Asia.

"The wild rice has pollinated the domesticated rices planted nearby and the seed of the domesticated variety has then incorporated the genetics of the local wild varieties," he said.



**Prof Robert Henry.**

"The maternal lineage is preserved via the seed, and we've identified that because rice farmers have – and still continue to collect the seed from the field. The local varieties therefore become very much like the local wild rices."

Robert said the finding had implications for domestication of rice and breeding for adaptation to climate change to address food security.

"It gives us clues as to how we might try to capture more of the diversity in the wild and bring it into the domesticated gene pool to improve rice crops," he said.

"It also points to the need to understand the significance of the maternal genotype in terms of performance of rice because we did not previously understand there are two very distinct maternal functional types."

Rice is the staple food of more than half of the world's population and is the third-largest worldwide agricultural crop, with more than 630 million tonnes produced annually.

"Now we've got an ongoing collaboration with mathematicians to try and find a way of analysing the rice data in more detail, we want to look at relationships between lots of different subgroups," Robert said.

"This would include examining how the Basmatias and the Japonicas really relate and the various types of Indica rices."

The research is published in *BMC Plant Biology*.

Contact: Prof Robert Henry, E: [robert.henry@uq.edu.au](mailto:robert.henry@uq.edu.au)



## Next Level Harvesting Performance!

**MacDon 1 Series FlexDraper® and Draper Headers are designed to maximize productivity in the most challenging harvesting conditions.** From our Active Float System that keeps our headers true-to-the-ground, to the outstanding pick-up performance of our reel, to the combine optimized increased capacity of our FeedMaX™ crop feeding system. It all adds up to getting the most from your field, in any crop, in any condition, and on any combine.

**Take your harvest performance to the next level with MacDon's full line of harvesting machines, see them in action at [MacDon.com](http://MacDon.com)**

## ORDER NOW AND SAVE!

With our EARLY ORDER PROGRAM the earlier you order the more you can save! Contact your Authorized MacDon Dealer today for more details and a great deal.

Find your local dealer at [MacDon.com](http://MacDon.com)

**MacDon**  
The Harvesting Specialists.